	Type	L #	Hits	Search Text	DBs
1	BRS	L1	4780	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	3	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and (statist$5 near4 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	102	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	38	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and transform$4 and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	27	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and rtl and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	14	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and rtl and node and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	22	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and rtl and port$3 and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	37	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and rtl and port$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	52	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and rtl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	31	(duplicat$4 or replicat$4) with (flip-flop or (flip adj flop) or register) and rtl and test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB